


Ver producto

25,62 € - 34,75 €

[illegible]

N][Farola LED Series 50W - N][Farola LED Series 50W - N][Farola LED Series 50W - N][Farola LED Series 50W -
N][Farola LED Series 50W - N][Farola LED Series 50W - N][Farola LED Series 50W - N][Farola LED Series 50W -
N][Farola LED Series 50W - N][Farola LED Series 50W - N][Farola LED Series 50W - N][Farola LED Series 50W -
N][Farola LED Series 50W - N][Farola LED Series 50W - N][Farola LED Series 50W - N][Farola LED Series 50W -
N][Farola LED Series 50W - N][Farola LED Series 50W - N][Farola LED Series 50W - N][Farola LED Series 50W -
N][Farola LED Series 50W - N][Farola LED Series 50W - N][Farola LED Series 50W - N][Farola LED Series 50W -
N][Farola LED Series 50W - N][Farola LED Series 50W - N][Farola LED Series 50W - N][Farola LED Series 50W - N]



SKU: U12YR2

Categoría: [Sin categorizar](#)

Información adicional

Vatios: 50 w

Fuente Luminica: Sanan

Acabado: Gris

Luminosidad: 6250

Protección: IP65

IK: 8

Alimentación: 200-240v ac

Dimensión: 412X139X92H mm

Diámetro de fijación: 60 mm

Material: Aluminio/PMMA

Cri: 80

Factor de Potencia: 0,9

Garantía: 3

Temperatura de Color: N - ()

Temperatura de Trabajo: -20°C ~ +45°C

UGR: <26

Ángulo: 140°x65°

Protección Contra Sobretensiones: 2 Kv

Vida Útil: 30000